Math 215: Linear Algebra PROBLEM SET 15 : DUE DECEMBER 11

(19 points) Make sure you are familiar with the Academic Honesty policies for this class, as detailed on the syllabus. All work is due on the given day by 3 PM Grinnell Time, or 7 PM if you LaTeX the assignment. Make sure you describe all elementary row operations in the notation and manner discussed in class.

1. (4 points) Determine for which values of a and $b \in \mathbb{R}$, the system with augmented matrix

$$\begin{pmatrix} 1 & 1 & 3 & 2 \\ 1 & 2 & 4 & 3 \\ 1 & 3 & a & b \end{pmatrix}$$

has (i) no solution (ii) one solution, and (iii) infinitely many solutions.

2. (a) (3 points) Let $V = \mathbb{R}^4$. Does Span $\left(\begin{pmatrix} 1\\3\\-3\\-1 \end{pmatrix}, \begin{pmatrix} 2\\4\\2\\2 \end{pmatrix}, \begin{pmatrix} 4\\1\\2\\0 \end{pmatrix}, \begin{pmatrix} -1\\4\\-1\\1 \end{pmatrix} \right) = \mathbb{R}^4$? Carefully

prove this if it is true. Give an explicit element of V which is not in the span otherwise.

(b) (2 points) How do we know without doing any computations that Span $\begin{pmatrix} 1\\3\\-2\\5 \end{pmatrix}$, $\begin{pmatrix} -1\\2\\4\\-6 \end{pmatrix}$

is not all of \mathbb{R}^4 ?

- 3. (4 points) Let $V = P_3$. Does $\text{Span}(x^2 1, x + 3, x^3 + x^2 + x, x^3) = V$? Carefully prove this if it is true. Give an explicit element of V which is not in the span otherwise.
- 4. (2 points) Let $V = \mathcal{F}$ be the vector space of all functions from \mathbb{R} to \mathbb{R} . Consider the vectors $f(x) = \sin^2(x), g(x) = \cos^2(x)$, and h(x) = -3. Is (f(x), g(x), h(x)) linearly independent or linearly dependent? Carefully explain your answer.
- 5. (4 points) Use the process of row reduction (also called "Gaussian Elimination") to determine if the following set of vectors in \mathbb{R}^4 are linearly independent.

$$\left(\begin{pmatrix} 1\\3\\-2\\5 \end{pmatrix}, \begin{pmatrix} -1\\2\\4\\-6 \end{pmatrix}, \begin{pmatrix} 2\\4\\-1\\1 \end{pmatrix} \right)$$

- 6. (DO NOT TURN IN.) Let $V = \mathcal{M}_{2\times 2}$. Does $\operatorname{Span}\left(\begin{pmatrix} 1 & 1\\ 0 & -3 \end{pmatrix}, \begin{pmatrix} 2 & -4\\ 0 & 5 \end{pmatrix}\right) = V$? Explain why or why not.
- 7. (DO NOT TURN IN.) Let $V = P_4$ be the vector space of all polynomials of degree at most 4, plus the zero polynomial. Consider the vectors $(x^4 + x^3, 3x^4 + 2x^2, 3x^3 x^2)$. Is this list of vectors linearly independent or linearly dependent? Carefully explain your answer.